


NOTICE OF PUBLIC HEARING

Notice is hereby given that a public hearing will be held by the **Collier County Hearing Examiner (HEX) at 9:00 A.M., February 14th, 2019**, in the Hearing Examiner's Meeting Room, at 2800 North Horseshoe Drive, Room 609/610, Naples FL 34104, to consider:

PETITION NO. BDE-PL20180001709 – CARLA TERESA MARKEY REQUESTS A 43-FOOT BOAT DOCK EXTENSION OVER THE MAXIMUM 20 FEET LIMIT IN SECTION 5.03.06 OF THE COLLIER COUNTY LAND DEVELOPMENT CODE FOR A TOTAL PROTRUSION OF 63 FEET TO MODIFY THE EXISTING DOCKING FACILITY TO ADD DECKING AND A POLY FLOAT TO ACCOMMODATE ONE VESSEL AND ONE KAYAK OR SMALL BOAT FOR THE BENEFIT OF LOT 24, BLOCK F OF THE COLLIER'S RESERVE SUBDIVISION PLAT, ALSO DESCRIBED AS 933 BARCARMIL WAY, IN SECTION 22, TOWNSHIP 48 SOUTH, RANGE 25 EAST, COLLIER COUNTY, FLORIDA.



All interested parties are invited to appear and be heard. All materials used in presentation before the Hearing Examiner will become a permanent part of the record.

Copies of staff report are available one week prior to the hearing. The file can be reviewed at the Collier County Growth Management Department, Zoning Division, Zoning Services Section, 2800 North Horseshoe Drive, Naples, FL.

The Hearing Examiner's decision becomes final on the date rendered. Any person who decides to appeal any decision of the **Hearing Examiner** will need a record of the proceedings pertaining thereto and therefore, may need to ensure that a verbatim record of the proceedings is made, which record includes the testimony to evidence upon which the appeal is based.

If you are a person with a disability who needs any accommodation in order to participate in this proceeding, you are entitled, at no cost to you, to the provision of certain assistance. Please contact the Collier County Facilities Management Division located at 3335 Tamiami Trail East, Suite 101, Naples, Florida 34112-5356, (239) 252-8380, at least two days prior to the meeting.

Mark Strain,
Chief Hearing Examiner
Collier County, Florida